

Fujitsu recommends Windows 10 Pro.

Data Sheet

FUJITSU Tablet STYLISTIC Q509

Tough Tablet for Hard Work

The FUJITSU Tablet STYLISTIC Q509 enables new levels of productivity in industrial settings. It is made for rough environments thanks to its robust spill and dust resistant housing. The lightweight design combined with a 10.1-inch display with reinforced corners. Ultimate connectivity and security options like 4G/LTE and fingerprint sensor as well as a long battery runtime let you stay connected wherever you are.

Made for rough and tough environments

Discover new levels of productivity in rough industrial settings

- Spill and dust resistant design with port caps to protect the interfaces (IP54)
- Solid housing with reinforced corners ensures durability
- Durability is Military Standard MIL-STD-810G compliant
- Optional TPU cover for more robustness

Convenience and mobility

All day productivity for indoor and outdoor use

- 10.1" anti-glare touch screen with pen support
- Integrated pen garage
- Fanless design
- High performance battery with increased charging voltage (up to 80% in one hour)

Enterprise connectivity and security

Secure data access from everywhere

- Embedded 4G/LTE
- Keyboard dock with additional LAN port
- Integrated fingerprint sensor
- Family concept: Uses the same cradle as STYLISTIC Q739



Components

Base unit	STYLISTIC Q509	STYLISTIC Q509 LTE
Operating systems		
Operating system pre-installed	Windows 10	Windows 10
Operating system compatible	Windows 10	Windows 10
Processor	Intel® Celeron® processor N4000 (2 Cores / 2 Threads, 1.1 GHz) Intel® Celeron® processor N4100 (4 Cores / 4 Threads, 1.1 GHz)	Intel® Celeron® processor N4100 (4 Cores / 4 Threads, 1.1 GHz)
Hard disk drive	128 GB, eMMC module 256 GB, eMMC module	128 GB, eMMC module 256 GB, eMMC module
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 20 GB of HDD space is reserved for system recovery Internal storage interface: S-ATA III (6GBit/s)	
Multimedia		
Camera	Front camera 2.0 megapixel, rear camera 8.0 megapixel with autofocus and light	

Base unit

Base unit	STYLISTIC Q509	STYLISTIC Q509 LTE
General system information		
Chipset	Integrated in CPU	Integrated in CPU
Supported capacity RAM	4 GB	8 GB
Supported capacity RAM (max.)	4 GB	8 GB
Memory slots	LPDDR4 (2400 MHz)	LPDDR4 (2400 MHz)
LAN notes	LAN connector via optional keyboard dock, cradle or optional USB adapter cable	LAN connector via optional keyboard dock, cradle or optional USB adapter cable
BIOS version	UEFI Specification 2.5	UEFI Specification 2.5
BIOS features	InsydeH2O BIOS	InsydeH2O BIOS
Audio type	On board	On board
Audio codec	Realtek ALC255	Realtek ALC255
Audio features	2x internal microphones, 2x built-in speakers (stereo)	2x internal microphones, 2x built-in speakers (stereo)
Waterproof / Spillproof	IP54	IP54
MIL-STD tested	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.	Yes, selected MIL-STD-810G tests passed. MIL-STD-810G test results are not a guarantee of future performance under identified test conditions. Accidental damage is not covered under standard international limited warranty.
Display		
Display	25.7 cm (10.1-inch), IPS, (WUXGA), Anti-glare touchscreen, 1,920 x 1,200 pixel, 500 cd/m ²	25.7 cm (10.1-inch), IPS, (WUXGA), Anti-glare touchscreen, 1,920 x 1,200 pixel, 500 cd/m ²
Display notes	Toughened glass	Toughened glass

Display		
Sensors	Ambient Light Sensor Compass Gyroscope Proximity	Ambient Light Sensor Compass Gyroscope Proximity
Aspect ratio	16:9	16:9
Brightness - typical	500 cd/m ²	500 cd/m ²
Digitizer / Touch Technology	Multi-touch up to 10 fingers, active pen support	Multi-touch up to 10 fingers, active pen support
Ambient light sensor	Integrated	Integrated
Ambient light sensor notes	While enabled, the ambient light sensor automatically adjusts the display backlight	While enabled, the ambient light sensor automatically adjusts the display backlight
Viewing angle (h/v) - typical	160°/160°	160°/160°
Graphics		
Base unit	STYLISTIC Q509	STYLISTIC Q509 LTE
TFT resolution (VGA)	1,920 x 1,200 pixel	1,920 x 1,200 pixel
Graphics features	Dual Display support (1x external, 1x internal)	Dual Display support (1x external, 1x internal)
Graphics notes	Shared memory depending on main memory size and operating system 3D accelerator	Shared memory depending on main memory size and operating system 3D accelerator
Interfaces		
DC-in	1	1
Audio: line-out / headphone	1 (combo port with Audio line-in)	1 (combo port with Audio line-in)
Audio: line-in / microphone	1 (combo port with Audio line-out)	1 (combo port with Audio line-out)
USB 3.1 Gen1 (USB 3.0) total	1	1
USB 3.1 Gen2 total	1 (USB Type C)	1 (USB Type C)
USB Type-C	1 with power delivery	1 with power delivery
HDMI	1 (on optional cradle or via optional adapter cable)	1 (on optional cradle or via optional adapter cable)
Ethernet (RJ-45)	1	1 (via dockable keyboard or cradle)
Memory card slots	1 - SD/microSD card : 2GB - SDHC/microSDHC card : 32GB - SDXC card : 512GB - microSDXC card : 200GB (or 128GB) Speed Class: up to UHS-I	1 - SD/microSD card : 2GB - SDHC/microSDHC card : 32GB - SDXC card : 512GB - microSDXC card : 200GB (or 128GB) Speed Class: up to UHS-I
SIM card slot	---	1 (MicroSIM - only for models with integrated 4G/LTE)
Interface Module notes	LAN and VGA available via conversion cable., Ethernet via conversion cable (USB to RJ-45)	LAN and VGA available via conversion cable., Ethernet via conversion cable (USB to RJ-45)
Docking connector for Port Replicator	1	1
Cradle (Charging or Functional)		
DC-in	1 (19V)	
Audio: line-in	1	
Audio: line-out	1	
USB 3.1 Gen1 (USB 3.0) total	3	
DisplayPort	1	
VGA	1	
Kensington Lock support	1	
Interface Module notes	If USB 3.0 or 2.0 is supported, is determined by the technological base of the product.	
Wireless technologies		
Antennas	2x dual band for WLAN, Bluetooth shared with WLAN	2x dual band for WLAN, 2x for LTE, Bluetooth shared with WLAN
WLAN encryption	WEP, WPA, WPA2	
WLAN notes	Import and usage according to country-specific regulations.	
Integrated LTE or UMTS	LTE Sierra Wireless EM7455 (Cat. 6)	

Wireless technologies

LTE/UMTS/GPS notes	Including GPS functionality Import and usage according to country-specific regulations.	
GPS	Embedded in 4G module if configured with WWAN	

Power supply

AC adapter	12V / 36W (3A)	
1st battery	Li-Ion battery 2-cell, 31 Wh, 31 Wh	Li-Ion battery 2-cell, 31 wh Wh, 31 Wh
Battery features	Quick Charge: 80% in 1h	
Runtime 1st battery	11 h (Productivity Workload MobileMark® 2014)	
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCo® MobileMark® 2014 (office productivity). Refer to www.bapco.com for additional details. The BAPCo® MobileMark® Benchmark provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity decreases slightly with every re-charge and over its lifetime.	

Dimensions / Weight / Environmental

Dimensions (W x D x H)	263 x 168.9 x 12.4 mm 10.3 x 0.65 x 0.48 inch	
Weight	from 620 g slate only	from 635 g slate only
Weight (lbs)	from 1.36 lbs	from 1.39 lbs
Weight notes	Weight may vary depending on actual configuration	
Operating ambient temperature	5 - 35 °C (41 - 95 °F); Packed -10 - 60 °C (14 - 140 °F)	
Operating relative humidity	Running: 20 - 80% (relative humidity); Packed: 20 - 80% (relative humidity)	

Compliance

Product	STYLISTIC Q509	
Global	RoHS (Restriction of hazardous substances) WEEE (Waste electrical and electronic equipment) Microsoft Operating Systems (HCT / HCL entry / WHQL) EPEAT® Bronze (dedicated regions) ENERGY STAR®	
Compliance link	https://sp.ts.fujitsu.com/sites/certificates	

Additional Software

Additional software (optional)	Microsoft Office (buy license to activate the pre-installed Microsoft Office) CyberLink YouCam (webcam software) Drivers & Utilities DVD (DUDVD) Recovery DVD for Windows®	
--------------------------------	---	--

Manageability







Manageability technology	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) WoL (Wake on LAN)	
Manageability software	DeskView Client DeskView Instant BIOS Management	
DeskView components	Inventory Management BIOS Management Driver Management Security Management Alarm Management	
Manageability link	http://www.fujitsu.com/fts/manageability	

Security

Physical Security	Kensington Lock support	Kensington Lock support
System and BIOS Security	Absolute Persistence® technology capable BIOS EraseDisk Trusted Platform Module (TPM 2.0)	Absolute Persistence® technology capable BIOS EraseDisk Trusted Platform Module (TPM 2.0)

Security		
User Security	Embedded fingerprint sensor (optional) Hard disk password User and supervisor BIOS password	Embedded fingerprint sensor (optional) Hard disk password User and supervisor BIOS password
Warranty		
Warranty period	2 years (for countries within EMEA)	
Warranty type	Bring-in Service / Collect & Return Service (depending on country)	
Warranty Terms & Conditions	http://www.fujitsu.com/warranty	
Product Support Services - the perfect extension		
Recommended Service	9x5, Onsite Response Time: Next Business Day	
Spare Parts availability	3 years after end of product life	
Service Weblink	http://www.fujitsu.com/emeia/products/product-support-services/	

Recommended Accessories

USB Type-C Port Replicator		The FUJITSU USB Type-C Portreplicator is the perfect solution for connecting FUJITSU mobile clients with a single USB Type-C plug. It allows you to charge and transfer data at the same time via only one cable in order to support your first steps towards a clean desk environment. High speed data transfer through USB 3.1 and Gigabit LAN make it possible to be more flexible and work faster.	Order Code: S26391-F1667-L100
STYLISTIC Q738/Q739/Q509 Cradle		Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.	Order Code: S26391-F3147-L100
LAN Conversion Cable (USB to LAN) for STYLISTIC Q and STYLISTIC V		The FUJITSU USB to LAN Conversion Cable enables you to connect your compatible STYLISTIC Tablet to a wired network connection. GBit-LAN via USB conversion cable is limited to 480 Mbit/s due to USB 2.0 specification. (Picture similar to product)	Order Code: S26391-F1418-L840
USB Type-C to Gb-LAN Adapter		The FUJITSU USB Type-C to Gb-LAN Adapter offers a fast and easy way to connect a Gbit-LAN to your mobile system, or desktop PC, using the USB Type-C port via plug-and-play functionality	Order Code: S26391-F6058-L301
STYLISTIC Q509 TPU Cover		The protective TPU Cover is designed to prevent damages to your STYLISTIC Q509. Openings of the cover allow you to access all ports and buttons whilst the hand strap on the back of the case gives you a firm grip while working with your tablet outside the office.	Order Code: S26391-F3309-L200
STYLISTIC Q509 Stylus Pen		Ergonomic and authentic handwriting on your tablet	Order Code: S26391-F3309-L510
			Order Code: S26391-F1194-L125

Pro Green Case 14

The Pro Green Case 14 protects notebooks with up to 14-inch screens and offers you plenty of style and functionality on your business trips. The front half of the bag has two padded compartments for your power cord and office supplies. The back half of the bag has a divided file compartment for your notebook. Everything will be safe but easily accessible. Its elegant design and recyclable material will impress everyone who sees it.

Order Code:
S26391-F1194-L80

Notebook Mouse M420NB

The Notebook Mouse M420NB is the perfect optical notebook mouse for busy professionals on the road. It is compact enough that it easily slips into a notebook bag or briefcase without getting in the way. It features two buttons and a scroll wheel which can also be used as a third button.

Order Code:
S26381-K454-L100

STYLISTIC Q509 Keyboard Dock

Enjoy the benefits of a physical keyboard dock connection which is more reliable and hassle free. With the attached keyboard dock you get the ability to prop the tablet up and fold it over the tablet's screen to protect it, especially when you are mobile.

S26391-F3159-L2**

More information

Fujitsu products, solutions & services

In addition to FUJITSU Tablet STYLISTIC Q509, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/products/computing/

Software

www.fujitsu.com/software/

More information

Learn more about FUJITSU Tablet STYLISTIC Q509, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.
www.fujitsu.com/emeia/products/computing/pc/tablets

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment>



**Green
Policy
Innovation**

Copyrights

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>

Copyright 2020 Fujitsu Technology Solutions GmbH

Disclaimer

Technical data is subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner.

Contact

Fujitsu Technology Solutions GmbH
Website: www.fujitsu.com
2020-06-05 EM-EN

All rights reserved, including intellectual property rights. Designations may be trademarks and/or copyrights of the respective owner, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see <http://www.fujitsu.com/emeia/resources/navigation/terms-of-use.html>
Copyright 2020 Fujitsu Technology Solutions GmbH